

Sale Name: Area Estates, Collectibles & More! | Online Auction - Nov. 20th, 2024

LOT 222 - Two - SharkBite 1/4-in (3/8-in OD) Push-to-Connect Tee

Push-To-Connect

Fitting



PEX, CPVC, PE-RT or Copper / Cuivre

818048

27A

1/4" x 1/4" x 1/4"

TEE

TE

ACCESORIO TE

Lead-Free per NSF/ANSI 372 'Sans Plomb' par NSF/ANSI 372



G

ASSE 1061

ANSI/NSF 61 ANSI/NSF 372



Shipping Available Yes

Description

Two - SharkBite 1/4-in (3/8-in OD) Push-to-Connect Tee

Overview

SharkBite push-to-connect fittings are the fastest way to connect PEX, copper, CPVC, PE-RT, or HDPE pipe in any combination. No soldering, clamps, unions, glue, or special tools required. Simply insert the pipe and the teeth bite down and grip tight, while a specially formulated O-ring compresses to create a watertight seal. Changes can easily be made by rotating the fitting after installation. Removing the fitting is just as fast using a disconnect tool so fittings and valves can be easily changed or reused. Designed with stainless steel gripping teeth for a secure connection, chlorine-resistant O-ring for a long-lasting seal and backed by a 25-year warranty.

- Fastest way to connect PEX, copper, CPVC, PE-RT or HDPE pipe
- Requires no special tools to install on hot or cold water lines
- Works on wet lines, rotatable after installation and removable
- Push-to-connect fittings are ideal for installation in tight spaces
- Rated to 200 degrees F and 200 PSI
- Approved for underground and behind-the-wall applications with no access panels (wrapping required when burying underground)
- Can be installed on wet or dry lines and pressure tested immediately, no waiting on soldered joints to cool or solvents to dry
- Low-lead DZR corrosion resistant brass body
- Code approved, IAPMO listed, for details see specifications

Quantity: 1



<https://www.auctionology.com/>